

REF	540-3	6×3mL	EXP	2024-12-07	LOT	33876E5	更新日期：	2021-12
1 / 4								

批号：33876E5			
项目\仪器\试剂\方法	单位	均值	+ / - 2 SD
(25-OH-Vit D)25羟基维生素D			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	nmol/L	175	133-217
(AFP)甲胎蛋白			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	ng/mL	191	145-237
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	255	194-316
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	ng/mL	233	177-289
(ALD)醛固酮			
Autolumo A2000/A2000 PLUS Autobio \ Chemiluminescence Immunoassay (CLIA)	pg/mL	5360	4070-6640
(Anti-Tg)抗甲状腺球蛋白抗体			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	28.7	21.8-35.6
(Anti-TPO)抗甲状腺过氧化物酶抗体			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	13.8	10.5-17.1
(CA 125)糖类抗原 125			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	IU/mL	130	98.7-161
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	96.3	73.2-119
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	IU/mL	166	126-206
(CA 15-3)糖类抗原 15-3			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	76.8	58.4-95.2
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	IU/mL	81.1	61.6-101
(CA 19-9)糖类抗原 19-9			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	IU/mL	194	148-240
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	106	80.6-131
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	IU/mL	78.7	59.8-97.6
(CEA)癌胚抗原			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	ng/mL	21.3	16.2-26.4
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	ng/mL	43	32.7-53.3
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	24.3	18.5-30.1
(CK)肌酸激酶			
Roche cobas 4000/6000/8000 Roche \ Urease-UV-rate	U/L	117	88.9-145
(CK-MB)肌酸激酶-MB (活性)			
Roche cobas 4000/6000/8000 Roche \ Immunoturbidimetry (ITA)	U/L	27.6	21-34.2
Roche cobas e411 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	29.5	22.4-36.6
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	ng/mL	46.8	35.6-58
(Cortisol)皮质醇			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	364	277-451
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	ng/mL	321	244-398

REF	540-3	6×3mL	EXP	2024-12-07	LOT	33876E5	更新日期：	2021-12
2 / 4								

批号：33876E5			
项目\仪器\试剂\方法	单位	均值	+ / - 2 SD
(C-P)C-肽			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	3.68	2.8-4.56
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	ng/mL	2.98	2.26-3.7
(DGXN)地高辛			
Roche cobas e411 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	3.98	3.02-4.94
(DHEA-S)硫酸脱氢表雄酮			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	μmol/L	26.8	20.4-33.2
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	μmol/L	25.2	19.2-31.2
(E2)雌二醇			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	1850	1400-2290
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	pmol/L	1510	1140-1870
(EPO)促红细胞生成素			
Siemens Immulite1000/2000 Siemens \ Chemiluminescence Immunoassay (CLIA)	mIU/mL	149	113-185
(FA)叶酸			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	12.2	9.27-15.1
(Ferritin)铁蛋白			
Roche cobas 4000/6000/8000 Roche \ Immunoturbidimetry (ITA)	μg/L	448	340-556
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	μg/L	420	319-521
(F-PSA)游离前列腺特异性抗原			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	ng/mL	9.83	7.47-12.2
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	8.38	6.37-10.4
(FSH)促卵泡刺激素			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	IU/L	39.2	29.8-48.6
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/L	56.7	43.1-70.3
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	IU/L	45.5	34.6-56.4
(FT3)游离T3			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	pmol/L	11.9	9.05-14.8
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	26.6	20.2-33
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	pmol/L	19.9	15.1-24.7
Abbott ARCHITECT i series Abbott \ Chemiluminescence Immunoassay (CLIA)	pmol/L	23.5	18.5-28.5
(FT4)游离T4			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	pmol/L	40.8	31-50.6
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	55.9	42.5-69.3
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	pmol/L	48.8	37.1-60.5
Abbott ARCHITECT i series Abbott \ Chemiluminescence Immunoassay (CLIA)	pmol/L	38.6	30.4-46.8
(HCY)同型半胱氨酸			
Roche cobas 4000/6000/8000 Roche \ Enzymatic Cycling Assays Method	μmol/L	39.6	30.1-49.1
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	μmol/L	40.3	30.6-50

REF	540-3	6×3mL	EXP	2024-12-07	LOT	33876E5	更新日期：	2021-12
3 / 4								

批号：33876E5			
项目\仪器\试剂\方法	单位	均值	+ / - 2 SD
(HGH)人生长激素			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	µg/L	9.66	7.34-12
(IgE)免疫球蛋白 IgE			
Beckman Image 800 Beckman Coulter \ Immunoturbidimetry (ITA)	IU/mL	251	191-311
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	IU/mL	273	207-339
(IGF1)胰岛素生长因子1			
Autolumo A2000/A2000 PLUS Autobio \ Chemiluminescence Immunoassay (CLIA)	ng/mL	202	154-250
(INS)胰岛素			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	126	95.8-156
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	mIU/L	118	89.7-146
(LH)促黄体生成素			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	IU/L	78.1	59.4-96.8
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/L	56.4	42.9-69.9
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	IU/L	47.5	36.1-58.9
(Myo / Mb)肌红蛋白			
Roche cobas e411 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	µg/L	289	220-358
(NT-proBNP)N-末端脑钠肽前体			
Roche cobas e411 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pg/mL	2210	1670-2740
Roche cobas e411 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	260	198-322
(PRL)催/泌乳素			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	ng/mL	28.8	21.9-35.7
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	36.9	28-45.8
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	ng/mL	38.2	29-47.4
(PROG)孕酮			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	24.2	18.4-30
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	ng/mL	24.5	18.6-30.4
(PSA)前列腺特异性抗原			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	ng/mL	28.5	21.7-35.3
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	22.4	17-27.8
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	ng/mL	19.9	15.1-24.7
(PTH)甲状旁腺素			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pg/mL	192	146-238
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	pg/mL	245	186-304
(TES)睾酮			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	2.54	1.93-3.15
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	ng/mL	3.49	2.65-4.33



REF	540-3	6×3mL	EXP	2024-12-07	LOT	33876E5	更新日期：	2021-12
4 / 4								

批号：33876E5			
项目\仪器\试剂\方法	单位	均值	+ / - 2 SD
(Tg)甲状腺球蛋白			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	11.3	8.59-14
(TnT)肌钙蛋白T			
Roche cobas e411 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	1.98	1.5-2.46
(TSH)促甲状腺素			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	mIU/L	28.9	22-35.8
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	35.4	26.9-43.9
Tosoh AIA 1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	mIU/L	29.4	22.3-36.5
Abbott ARCHITECT i series Abbott \ Chemiluminescence Immunoassay (CLIA)	mIU/L	25.9	20.5-31.3
(TT3)总三碘甲状腺原氨酸			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	nmol/L	3.9	2.96-4.84
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	nmol/L	5.64	4.29-6.99
(TT4)总T4			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	nmol/L	171	130-212
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	nmol/L	184	140-228
(VB12)维生素B12			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pg/mL	901	685-1110
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	pg/mL	976	742-1210
(β2M)β-2-微球蛋白			
Roche cobas 4000/6000/8000 Roche \ Immunoturbidimetry (ITA)	mg/L	2.77	2.11-3.43
Tosoh AIA1800 TOSOH \ Chemiluminescence Immunoassay (CLIA)	mg/L	2.81	2.14-3.48
(β-hCG)人绒毛膜促性腺激素β亚基			
Caris200 WanTai \ Chemiluminescence Immunoassay (CLIA)	IU/L	413	314-512
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/L	522	397-647

注：此报告所提供的数据均基于检测相同批号质控品的若干实验室的数据汇总统计而来，仅供学习、参考之用。因所用技术、仪器和试剂的不同，或因制造商检测方法的改变，均可导致实验室实际测得的数据偏离此报告所提供的数据。根据良好实验室规范的要求，实验室须遵循相关技术规范确立自己的均值和可接受范围。