

<b>REF</b>	540-2	6x3mL	<b>EXP</b>	2027-05-18	<b>LOT</b>	33850A1	更新日期： 2025-03
							1 / 7

本报告含以下项目的示范实验室数据

参数 (Parameters)	参数 (Parameters)	参数 (Parameters)
(CK-MB)肌酸激酶-MB (活性)	(Myo / Mb)肌红蛋白	(TnI)肌钙蛋白I
(TnT)肌钙蛋白T	(NT-proBNP)N-末端脑钠肽前体	(DGXN)地高辛
(THEO)茶碱	(TT3)总三碘甲状腺氨酸	(FT3)游离T3
(TT4)总T4	(FT4)游离T4	(TSH)促甲状腺素
(Cortisol)皮质醇	(FSH)促卵泡刺激素	(LH)促黄体生成素
(PROG)孕酮	(PRL)催/泌乳素	(TES)睾酮
(E2)雌二醇	(C-P)C-肽	(FA)叶酸
(INS)胰岛素	(VB12)维生素B12	(IgE)免疫球蛋白 IgE
(AFP)甲胎蛋白	(CEA)癌胚抗原	(hCG)人绒毛膜促性腺激素
(PSA)前列腺特异性抗原	(CA 125)糖类抗原 125	(CA 15-3)糖类抗原 15-3
(CA 19-9)糖类抗原 19-9	(β2M)β-2-微球蛋白	(Ferritin)铁蛋白
(β-hCG)人绒毛膜促性腺激素β亚基	(F-PSA)游离前列腺特异性抗原	(HCY)同型半胱氨酸
(ASD)雄烯二酮	(ALD)醛固酮	(Anti-Tg)抗甲状腺球蛋白抗体
(Anti-TPO)抗甲状腺过氧化物酶抗体	(DHEA-S)硫酸脱氢表雄酮	(EPO)促红细胞生成素
(HGH)人生长激素	(IGF1)胰岛素生长因子1	(PTH)甲状旁腺素
(SHBG)性激素结合球蛋白	(Tg)甲状腺球蛋白	(25-OH-Vit D)25羟基维生素D
(25-OH-VD3)25羟基维生素D3	(ACTH)促肾上腺皮质激素	(AMH)抗缪勒氏管激素
(HS-CTnI) (高) 超敏肌钙蛋白I	(CK-MB mass)肌酸激酶-MB质量	

<b>REF</b>	540-2	6x3mL	<b>EXP</b>	2027-05-18	<b>LOT</b>	33850A1	更新日期:	2025-03 2 / 7
------------	-------	-------	------------	------------	------------	---------	-------	------------------

批号: 33850A1			
项目\仪器\试剂\方法	单位	均值	+ / - 2 SD
<b>(25-OH-VD3)25羟基维生素D3</b>			
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	78.6	75.1-82.1
<b>(25-OH-Vit D)25羟基维生素D</b>			
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	54.1	49.7-58.5
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	nmol/L	135	124-146
YHLO iFlash Analyzer YHL \ Chemiluminescence Immunoassay (CLIA )	ng/mL	78.3	62.6-94
YHLO iFlash Analyzer YHL \ Chemiluminescence Immunoassay (CLIA )	nmol/L	195	156-234
Beckman Access Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	43.7	35-52.4
Beckman Access Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	nmol/L	109	87-131
<b>(ACTH)促肾上腺皮质激素</b>			
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	pg/mL	1.46	1.24-1.68
<b>(AFP)甲胎蛋白</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	117	103-131
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	ng/mL	117	101-133
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	110	88-132
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	ng/mL	117	94-140
<b>(ALD)醛固酮</b>			
Agilent agilent \ Chemiluminescence Immunoassay (CLIA )	pg/mL	179	143-215
<b>(AMH)抗缪勒氏管激素</b>			
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	1.62	1.5-1.74
<b>(Anti-Tg)抗甲状腺球蛋白抗体</b>			
Maccura i3000 MAKER \ Chemiluminescence Immunoassay (CLIA )	IU/mL	44.3	38.1-50.5
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	IU/mL	8.84	6.21-11.47
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/mL	7.65	7.04-8.26
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	65.4	36-94.8
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	49.6	43.3-55.9
Siemens ADVIA Centaur XP/XPT Siemens \ Chemiluminescence Immunoassay (CLIA )	IU/mL	63.6	50.8-76.4
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	IU/mL	7.1	6.23-7.97
YHLO iFlash Analyzer YHL \ Chemiluminescence Immunoassay (CLIA )	IU/mL	109	103-115
<b>(Anti-TPO)抗甲状腺过氧化物酶抗体</b>			
Maccura i3000 MAKER \ Chemiluminescence Immunoassay (CLIA )	IU/mL	22.1	12.9-31.3
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/mL	30.9	26.9-34.9
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	IU/mL	23.6	19.3-27.9
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	36.8	24.8-48.8
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	36.1	26.6-45.6
YHLO iFlash Analyzer YHL \ Chemiluminescence Immunoassay (CLIA )	IU/mL	28.2	27.5-28.9
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	IU/mL	26.1	22.4-29.8
<b>(ASD)雄烯二酮</b>			
Agilent agilent \ Chemiluminescence Immunoassay (CLIA )	ng/mL	3.29	2.63-3.95
<b>(CA 125)糖类抗原 125</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	IU/mL	47.7	42.5-52.9

<b>REF</b>	540-2	6x3mL	<b>EXP</b>	2027-05-18	<b>LOT</b>	33850A1	更新日期:	2025-03
								3 / 7

Beckman AU series Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	IU/mL	39.6	16.2-63
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	IU/mL	72.2	63.5-80.9
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	IU/mL	79.3	63.4-95.2
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	63.6	50.9-76.3
<b>(CA 15-3)糖类抗原 15-3</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	IU/mL	21.9	18.5-25.3
Beckman AU series Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	IU/mL	18.2	9.3-27.1
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	IU/mL	61.4	49.1-73.7
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	IU/mL	70	61.6-78.4
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	48.6	38.9-58.3
<b>(CA 19-9)糖类抗原 19-9</b>			
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	IU/mL	44	37-51
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	IU/mL	38.5	30.8-46.2
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	46.4	37.1-55.7
<b>(CEA)癌胚抗原</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	10.2	9.3-11.1
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	ng/mL	20.2	16.2-24.2
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	11	8.8-13.2
<b>(CK-MB mass)肌酸激酶-MB质量</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	11.8	10.6-13
<b>(CK-MB)肌酸激酶-MB (活性)</b>			
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	ng/mL	15.6	12.5-18.7
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	20.2	19.2-21.2
<b>(Cortisol)皮质醇</b>			
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	204	191-217
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	193	173-213
Tosoh AIA Series TOSOH \ Enzyme immunoassay (EIA)	ng/mL	211	168-254
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	ng/mL	202	187-217
<b>(C-P)C-肽</b>			
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	2.17	1.89-2.45
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	2.1	2.02-2.18
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	ng/mL	2.42	2.32-2.52
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	0.002	0.002-0.002
<b>(DGXN)地高辛</b>			
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	1.91	1.76-2.06
Beckman Access Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	1.89	1.52-2.26
<b>(DHEA-S)硫酸脱氢表雄酮</b>			
Tosoh AIA Series TOSOH \ Enzyme immunoassay (EIA)	ng/mL	5711	4569-6853
<b>(E2)雌二醇</b>			
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	945	805-1085
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	969	890-1048
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	908	726-1090
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	pmol/L	936	891-981

<b>REF</b>	540-2	6x3mL	<b>EXP</b>	2027-05-18	<b>LOT</b>	33850A1	更新日期:	2025-03 4 / 7
------------	-------	-------	------------	------------	------------	---------	-------	------------------

<b>(EPO)促红细胞生成素</b>			
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	mIU/mL	45.7	42.2-49.2
Siemens Immulite1000/2000 Siemens \ Chemiluminescence Immunoassay (CLIA )	mIU/mL	50	40-60
<b>(FA)叶酸</b>			
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	10.2	9.1-11.3
Beckman Access Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	9.89	7.91-11.87
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	14.6	11.7-17.5
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	ng/mL	7.14	6.43-7.85
<b>(Ferritin)铁蛋白</b>			
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	282	269-295
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	154	133-175
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	150	137-163
Beckman AU series Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	101	0-210
YHLO iFlash Analyzer YHL \ Chemiluminescence Immunoassay (CLIA )	ng/mL	211	203-219
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	783	626-940
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	ng/mL	233	200-266
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	ng/mL	182	146-218
<b>(F-PSA)游离前列腺特异性抗原</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	4.71	4.27-5.15
Beckman AU series Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	3.71	1.44-5.98
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	ng/mL	4	3.44-4.56
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	4.4	3.52-5.28
<b>(FSH)促卵泡刺激素</b>			
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	IU/L	25.8	24.6-27
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/L	24.5	23.4-25.6
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/L	26	23.6-28.4
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/L	21.9	17.5-26.3
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	IU/L	30	24-36
<b>(FT3)游离T3</b>			
Maccura i3000 MAKER \ Chemiluminescence Immunoassay (CLIA )	pmol/L	13.4	9.8-17
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	7.34	7.12-7.56
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	pmol/L	8.98	7.88-10.08
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	13.2	11.7-14.7
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	12.8	12.3-13.3
Beckman AU series Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	pmol/L	5.93	2.47-9.39
YHLO iFlash Analyzer YHL \ Chemiluminescence Immunoassay (CLIA )	pmol/L	12.7	12.3-13.1
Tosoh AIA Series TOSOH \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	10.4	8.3-12.5
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	pmol/L	7.96	7-8.92
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	pmol/L	11.6	11.3-11.9
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	12.8	10.2-15.4
<b>(FT4 )游离T4</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	31.5	28.4-34.6
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	37.6	34.7-40.5

<b>REF</b>	540-2	6x3mL	<b>EXP</b>	2027-05-18	<b>LOT</b>	33850A1	更新日期:	2025-03
								5 / 7

Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	pmol/L	28.8	25.8-31.8
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	34.8	32.4-37.2
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	pmol/L	34.5	29.7-39.3
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	pmol/L	33.7	32-35.4
YHLO iFlash Analyzer YHL \ Chemiluminescence Immunoassay (CLIA )	pmol/L	33.4	31.7-35.1
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	31.3	25-37.6
Tosoh AIA Series TOSOH \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	32.8	26.2-39.4
<b>(hCG)人绒毛膜促性腺激素</b>			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/L	144	115-173
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	IU/L	199	159-239
<b>(HCY)同型半胱氨酸</b>			
Tosoh AIA Series TOSOH \ Enzyme immunoassay (EIA)	μmol/L	21.5	17.2-25.8
<b>(HGH)人生长激素</b>			
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	μg/L	4.76	4.59-4.93
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	μg/L	3.77	3.02-4.52
<b>(HS-CTnI) (高) 超敏肌钙蛋白I</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	0.337	0.309-0.365
Beckman Access Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	0.309	0.247-0.371
<b>(IgE)免疫球蛋白 IgE</b>			
Tosoh AIA Series TOSOH \ Enzyme linked immunosorbent assays (ELISA)	IU/mL	83.8	67-100.6
<b>(IGF1)胰岛素生长因子1</b>			
Siemens Immulite1000/2000 Siemens \ Chemiluminescence Immunoassay (CLIA )	nmol/L	18	14.4-21.6
<b>(INS)胰岛素</b>			
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	34.1	31.2-37
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	32.6	31.5-33.7
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	35.7	28.6-42.8
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	mIU/L	31	24.8-37.2
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	mIU/L	29	27.1-30.9
OTHER OTHER \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	36.1	33.6-38.6
<b>(LH)促黄体生成素</b>			
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	IU/L	26.2	24.5-27.9
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/L	25	23.9-26.1
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/L	16.2	14.5-17.9
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/L	19.6	15.7-23.5
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	IU/L	17.4	13.9-20.9
<b>(Myo / Mb)肌红蛋白</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	μg/L	126	111-141
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	μg/L	147	118-176
<b>(NT-proBNP)N-末端脑钠肽前体</b>			
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pg/mL	1060	878-1242
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	125	104-146
<b>(PRL)催乳素</b>			
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	ng/mL	15.9	14.9-16.9
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	16.3	15.6-17
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	12.7	11.3-14.1

<b>REF</b>	540-2	6x3mL	<b>EXP</b>	2027-05-18	<b>LOT</b>	33850A1	更新日期:	2025-03
								6 / 7

Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	ng/mL	18.9	15.1-22.7
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	15	12-18
<b>(PROG)孕酮</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	9.51	7.84-11.18
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	ng/mL	10.3	9.6-11
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	11.7	11.1-12.3
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	10.6	9.2-12
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	13.5	10.8-16.2
Tosoh AIA Series TOSOH \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	11.4	9.1-13.7
<b>(PSA)前列腺特异性抗原</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	14.9	13.6-16.2
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	16	15.1-16.9
Beckman AU series Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	11	1.6-20.4
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	13.6	10.9-16.3
Tosoh AIA Series TOSOH \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	12.6	10.1-15.1
<b>(PTH)甲状旁腺素</b>			
Maccura i3000 MAKER \ Chemiluminescence Immunoassay (CLIA )	pmol/L	4.58	3.49-5.67
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	pmol/L	9.57	8.75-10.39
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	6.97	6.71-7.23
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	9.03	8.05-10.01
Tosoh AIA Series TOSOH \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	8.85	7.06-10.64
YHLO iFlash Analyzer YHL \ Chemiluminescence Immunoassay (CLIA )	pmol/L	11.2	10.4-12
<b>(SHBG)性激素结合球蛋白</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	nmol/L	79	63-95
<b>(TES)睾酮</b>			
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	ng/mL	0.385	0.352-0.418
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	0.41	0.391-0.429
Beckman UniCel Dxl 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	0.656	0.605-0.707
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	0.473	0.378-0.568
Tosoh AIA Series TOSOH \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	0.479	0.381-0.577
<b>(Tg)甲状腺球蛋白</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	7.99	6.94-9.04
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	12.5	12-13
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	13.7	11-16.4
<b>(THEO)茶碱</b>			
Roche cobas c 501/502/701/702 Roche \ Chemiluminescence Immunoassay (CLIA )	µg/mL	23.1	18.5-27.7
<b>(TnI)肌钙蛋白I</b>			
Ortho Vitros 3600/5600 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	0.072	0.072-0.072
<b>(TnT)肌钙蛋白T</b>			
Roche cobas e411 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	1.74	1.74-1.74
<b>(TSH)促甲状腺素</b>			
Beckman UniCel Dxl 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	mIU/L	9.76	8.45-11.07

<b>REF</b>	540-2	6x3mL	<b>EXP</b>	2027-05-18	<b>LOT</b>	33850A1	更新日期:	2025-03
								7 / 7

Maccura i3000 MAKER \ Chemiluminescence Immunoassay (CLIA )	mIU/L	10	8.4-11.6
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence enzyme immunoassay (CLEIA)	mIU/L	8.85	8.28-9.42
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	10.9	10-11.8
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	10.8	10.6-11
Beckman AU series Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	mIU/L	5.95	0-13.01
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	10.8	8.6-13
YHLO iFlash Analyzer YHL \ Chemiluminescence Immunoassay (CLIA )	mIU/L	13.6	13.4-13.8
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA )	mIU/L	8.67	7.46-9.88
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	mIU/L	10.2	8.2-12.2
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	mIU/L	10.2	9.9-10.5

**(TT3)总三碘甲状腺原氨酸**

Beckman UniCel DxI 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	2.35	1.96-2.74
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	2.5	2-3
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	2.77	2.42-3.12
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	2.46	2.33-2.59
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	ng/mL	2.23	2.12-2.34

**(TT4)总T4**

Beckman UniCel DxI 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	137	119-155
Maccura i3000 MAKER \ Chemiluminescence Immunoassay (CLIA )	ng/mL	154	131-177
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	141	113-169
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	132	124-140
Roche cobas 4000/6000/8000 Dedicated \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	131	120-142
Beckman AU series Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	ng/mL	102	44-160
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	ng/mL	139	133-145

**(VB12)维生素B12**

Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pg/mL	697	666-728
Beckman UniCel DxI 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	pg/mL	499	437-561
maglumi system Snibe \ Chemiluminescence Immunoassay (CLIA )	pg/mL	490	467-513
Tosoh AIA Series TOSOH \ Chemiluminescence enzyme immunoassay (CLEIA)	pg/mL	698	558-838

**(β2M)β-2-微球蛋白**

Beckman AU series Beckman Coulter \ Immunoturbidimetry (ITA)	ng/mL	1283	1101-1465
Tosoh AIA Series TOSOH \ Chemiluminescence Immunoassay (CLIA )	ng/mL	1520	1219-1821

**(β-hCG)人绒毛膜促性腺激素β亚基**

Beckman UniCel DxI 600/800 Beckman Coulter \ Chemiluminescence Immunoassay (CLIA )	IU/mL	0.132	0.124-0.14
Beckman UniCel DxI 600/800 Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/mL	0.134	0.124-0.144

注: 此报告所提供的数据均基于检测相同批号质控品的若干实验室的数据汇总统计而来, 仅供学习、参考之用。因所用技术、仪器和试剂的不同, 或因制造商检测方法的改变, 均可导致实验室实际测得的数据偏离此报告所提供的数据。根据良好实验室规范的要求, 实验室须遵循相关技术规范确立自己的均值和可接受范围。