

REF	539-1	6x3mL	EXP	2024-05-17	LOT	336A229	更新日期： 2025-03
							1 / 5

本报告含以下项目的示范实验室数据

参数 (Parameters)	参数 (Parameters)	参数 (Parameters)
(TT3)总三碘甲状腺原氨酸	(FT3)游离T3	(TT4)总T4
(FT4)游离T4	(TSH)促甲状腺素	(Cortisol)皮质醇
(FSH)促卵泡刺激素	(LH)促黄体生成素	(PROG)孕酮
(PRL)催/ 泌乳素	(TES)睾酮	(E2)雌二醇
(C-P)C-肽	(INS)胰岛素	(VB12)维生素B12
(IgE)免疫球蛋白 IgE	(AFP)甲胎蛋白	(CEA)癌胚抗原
(hCG)人绒毛膜促性腺激素	(PSA)前列腺特异性抗原	(CA 125)糖类抗原 125
(CA 15-3)糖类抗原 15-3	(CA 19-9)糖类抗原 19-9	(β2M)β-2-微球蛋白
(Ferritin)铁蛋白	(β-hCG)人绒毛膜促性腺激素β亚基	(F-PSA)游离前列腺特异性抗原
(HCY)同型半胱氨酸	(NSE)神经元特异性烯醇化酶	(SCC)鳞状细胞癌抗原
(ALD)醛固酮	(Anti-Tg)抗甲状腺球蛋白抗体	(Anti-TPO)抗甲状腺过氧化物酶抗体
(DHEA-S)硫酸脱氢表雄酮	(HGH)人生长激素	(IGF1)胰岛素生长因子1
(PTH)甲状旁腺素	(Tg)甲状腺球蛋白	(25-OH-Vit D)25羟基维生素D
(ACTH)促肾上腺皮质激素	(Renin)肾素	(CT)降钙素

REF	539-1	6x3mL	EXP	2024-05-17	LOT	336A229	更新日期:	2025-03
								2 / 5

批号: 336A229			
项目\仪器\试剂\方法	单位	均值	+ / - 2 SD
(25-OH-Vit D)25羟基维生素D			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	17.1	15-19.2
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	nmol/L	42.8	37.7-47.9
(ACTH)促肾上腺皮质激素			
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	pg/mL	1	1-1
(AFP)甲胎蛋白			
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	6.68	6.13-7.23
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	7.31	6.62-8
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	6.56	6.28-6.84
Mindray BC-1000 series Mindray \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	6.63	6.48-6.78
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	7.32	5.86-8.78
(ALD)醛固酮			
Autolumo A2000/A2000 PLUS Autobio \ Chemiluminescence Immunoassay (CLIA)	pg/mL	161	133-189
(Anti-Tg)抗甲状腺球蛋白抗体			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	11.4	9-13.8
(Anti-TPO)抗甲状腺过氧化物酶抗体			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	12.4	10-14.8
(CA 125)糖类抗原 125			
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/mL	9.74	8.53-10.95
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	7.96	7.16-8.76
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	IU/mL	8.61	7.87-9.35
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	9.82	9.66-9.98
(CA 15-3)糖类抗原 15-3			
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/mL	10.8	8.8-12.8
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	13.6	12.5-14.7
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	IU/mL	8.78	8.08-9.48
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	11.5	9.2-13.8
(CA 19-9)糖类抗原 19-9			
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/mL	3.44	2.73-4.15
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	IU/mL	4.97	4.58-5.36
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	5.21	4.16-6.26
(CEA)癌胚抗原			
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	2.98	2.54-3.42
Roche cobas e 801 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	3.08	2.82-3.34
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	2.33	2.17-2.49
Mindray BC-1000 series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	2.27	2.05-2.49
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	3.08	2.46-3.7
(Cortisol)皮质醇			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	119	97-141
(C-P)C-肽			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	1.16	0.92-1.4
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	0.563	0.473-0.653
(CT)降钙素			
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/L	0.563	0.482-0.644

REF	539-1	6x3mL	EXP	2024-05-17	LOT	336A229	更新日期:	2025-03
								3 / 5

(DHEA-S)硫酸脱氢表雄酮			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	3106	2479-3733
(E2)雌二醇			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	245	196-294
Abbott ARCHITECT i series OTHER \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	248	183-313
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	243	197-289
(Ferritin)铁蛋白			
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	80.2	70.7-89.7
(F-PSA)游离前列腺特异性抗原			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	0.114	0.103-0.125
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	0.13	0.105-0.155
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	0.099	0.093-0.105
(FSH)促卵泡刺激素			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/L	4.96	4.74-5.18
Abbott ARCHITECT i series OTHER \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/L	5.08	4.87-5.29
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/L	5.06	4.04-6.08
(FT3)游离T3			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	4.69	3.98-5.4
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	pmol/L	5.85	5.48-6.22
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	4.91	4.44-5.38
OTHER chongqiong zybio \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	4.64	4.35-4.93
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	5.87	4.75-6.99
(FT4)游离T4			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	13.6	11.5-15.7
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	pmol/L	22	20.5-23.5
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	pmol/L	13	12.3-13.7
OTHER chongqiong zybio \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	15.9	14.5-17.3
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	16.3	13.1-19.5
(hCG)人绒毛膜促性腺激素			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/L	3.89	3.29-4.49
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/L	4.04	3.47-4.61
Ortho Vitros 3600/5600 Ortho \ Chemiluminescence Immunoassay (CLIA)	IU/L	5.64	4.28-7
(HCY)同型半胱氨酸			
Abbott ARCHITECT i series Abbott \ Chemiluminescence Immunoassay (CLIA)	μmol/L	10.7	8.7-12.7
Roche cobas 4000/6000/8000 Roche \ Enzymatic Cycling Assays Method	μmol/L	13.6	10.9-16.3
(HGH)人生长激素			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	μg/L	2.06	1.65-2.47
(IgE)免疫球蛋白 IgE			
Beckman Image 800 Roche \ Immunoturbidimetry (ITA)	IU/mL	90.9	72.7-109.1
(IGF1)胰岛素生长因子1			
Autolumo A2000/A2000 PLUS Autobio \ Chemiluminescence Immunoassay (CLIA)	ng/mL	218	176-260
(INS)胰岛素			
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	mIU/L	7.95	6.22-9.68
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	8.32	6.66-9.98
(LH)促黄体生成素			
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	IU/L	2.5	2.26-2.74

REF	539-1	6x3mL	EXP	2024-05-17	LOT	336A229	更新日期:	2025-03
								4 / 5

Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/L	4.43	3.48-5.38
(NSE)神经元特异性烯醇化酶			
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	6.22	5.83-6.61
(PRL)催乳素			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	8.47	7.01-9.93
Abbott ARCHITECT i series OTHER \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	8.66	8.33-8.99
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	8.26	6.56-9.96
(PROG)孕酮			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	0.604	0.46-0.748
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	0.593	0.489-0.697
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	0.764	0.613-0.915
(PSA)前列腺特异性抗原			
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	0.495	0.446-0.544
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	0.506	0.479-0.533
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	0.67	0.549-0.791
(PTH)甲状旁腺素			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pmol/L	1.08	0.86-1.3
(Renin)肾素			
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	μIU/mL	39.1	33.9-44.3
(SCC)鳞状细胞癌抗原			
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	0.5	0.48-0.52
(TES)睾酮			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	7.62	6.83-8.41
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	8.48	6.87-10.09
(Tg)甲状腺球蛋白			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	10.4	8.3-12.5
(TSH)促甲状腺素			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	mIU/L	1.63	1.53-1.73
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	mIU/L	2.22	2.06-2.38
OTHER chongqiong zybio \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	2.6	2.49-2.71
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	mIU/L	1.89	1.53-2.25
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	mIU/L	1.5	1.43-1.57
(TT3)总三碘甲状腺原氨酸			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	0.983	0.861-1.105
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	1.63	1.54-1.72
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	0.968	0.92-1.016
OTHER chongqiong zybio \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	1.3	1.19-1.41
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	1.21	0.97-1.45
(TT4)总T4			
Abbott ARCHITECT i series Abbott \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	59.9	55.1-64.7
Mindray CL-2000i/1000i/6000i series Mindray \ Chemiluminescence Immunoassay (CLIA)	ng/mL	65.2	59.2-71.2
Abbott ARCHITECT i series Dedicated \ Chemiluminescence enzyme immunoassay (CLEIA)	ng/mL	61.1	56.2-66
OTHER chongqiong zybio \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	78.9	75.7-82.1
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	ng/mL	69.5	55.9-83.1
(VB12)维生素B12			
Roche cobas E601/602 Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	pg/mL	455	369-541

REF	539-1	6x3mL	EXP	2024-05-17	LOT	336A229	更新日期:	2025-03
								5 / 5

(β2M)β-2-微球蛋白			
Roche cobas 4000/6000/8000			
Roche \ Immunoturbidimetry (ITA)	ng/mL	860	690-1030
(β-hCG)人绒毛膜促性腺激素β亚基			
Mindray CL-2000i/1000i/6000i series			
Mindray \ Chemiluminescence Immunoassay (CLIA)	IU/mL	0.003	0.003-0.003
Roche cobas E601/602			
Roche \ Electro-Chemiluminescence Immunoassay (ECLIA)	IU/mL	0.004	0.003-0.005

注：此报告所提供的数据均基于检测相同批号质控品的若干实验室的数据汇总统计而来，仅供学习、参考之用。因所用技术、仪器和试剂的不同，或因制造商检测方法的改变，均可导致实验室实际测得的数据偏离此报告所提供的数据。根据良好实验室规范的要求，实验室须遵循相关技术规范确立自己的均值和可接受范围。